



PRESIDENTIAL ELECTION RESULTS AT THE POLLING STATION

Name of Polling Station MWENENDEGA PRIMARY SCHOOL POLLING STATION 1 of 2
 Ward CENTRAL WARD
 Constituency RUNYENJES
 County EMBU

Code 014054031904201
 Code 0319
 Code 064
 Code 014

Number of votes cast in favour of each candidate:

Name of Candidate	No. of Valid Votes Obtained
1. ODINGA RAILA	025
2. RUTO WILLIAM SAMOEI	401
3. WAIHIGA DAVID MWAURE	000
4. WAJACKOYAH GEORGE LUCHIRI	002
5.	
6.	
7.	
8.	
9.	
10.	
11.	
Total number of valid votes cast	428

Polling Station Counts

1. Total Number of Registered Voters in the Polling Station;	617
2. Total Number of Rejected Ballot Papers;	002
3. Total Number of Rejection Objected To Ballot Papers;	000
4. Total Number of Disputed Votes;	000
5. Total Number of Valid Votes Cast;	428

Decision(s) on disputed votes if any

Serial Number of Ballot Paper (s) with disputed vote	Name of Candidate assigned the vote
1.	
2.	
3.	
4.	

Declaration

We, the undersigned, being present when the results of the count were announced, do hereby declare that the results shown above are true and accurate count of the ballots in MWENENDEGA PRI Polling Station RUNYENJES Constituency.

Presiding Officer: MARY MARIGU NDWIGA Signature: [Signature] Date 09-08-2022

Deputy Presiding Officer: NICASIO NJIRU NYAKI Signature: [Signature] Date 09-08-2022

Agents or Candidates (if present)

No.	Name of Candidate or Agent	ID/Passport No.	Party Name/Independent Candidate	Id. Card No.	Signature	Date
1.	<u>JOAN NGIENDO</u>	<u>31754721</u>	<u>UDA</u>	<u>0198562962</u>	<u>[Signature]</u>	<u>09-08-2022</u>
2.	<u>JOSEPH MUNENE</u>	<u>12882143</u>	<u>ROOTS PARTY</u>	<u>0107058230</u>	<u>[Signature]</u>	<u>09-08-2022</u>
3.	<u>PETER KARIUKI</u>	<u>9678094</u>	<u>AZIMIO</u>	<u>0710713931</u>	<u>[Signature]</u>	<u>09-08-2022</u>
4.						
5.						
6.						
7.						
8.						
9.						
10.						
11.						

Reasons for Refusal to Sign (if any)

Presiding Officer's Comments:

THE VOTING AND COUNTING PROCESS WAS SUCCESSFUL ONLY TWO REJECTED BALLOT PAPERS.