



PRESIDENTIAL ELECTION RESULTS AT THE POLLING STATION

Name of Polling Station: MWATATI PRIMARY SCHOOL POLLING STATION 1 of 1
 Ward: MATUNGULU EAST
 Constituency: MATUNGULU
 County: MACHAKOS

Code: 019078028704701
 Code: 0387
 Code: 078
 Code: 010

Number of votes cast in favour of each candidate:

Name of Candidate	No. of Valid Votes Obtained
1. ODINGA RAILA	220
2. RUTO WILLIAM SAMOEI	047
3. WAIHIGA DAVID MWAURE	002
4. WAJACKOYAH GEORGE LUCHIRI	003
5.	
6.	
7.	
8.	
9.	
10.	
11.	
Total number of valid votes cast	272

Polling Station Counts

1. Total Number of Registered Voters in the Polling Station;	502
2. Total Number of Rejected Ballot Papers;	006
3. Total Number of Rejection Objected To Ballot Papers;	000
4. Total Number of Disputed Votes;	000
5. Total Number of Valid Votes Cast;	272

Decision(s) on disputed votes if any

Serial Number of Ballot Paper (s) with disputed vote	Name of Candidate assigned the vote
1.	
2.	
3.	
4.	

Declaration

We, the undersigned, being present when the results of the count were announced, do hereby declare that the results shown above are true and accurate count of the ballots in MWATATI PRIMARY SCHOOL Polling Station MATUNGULU Constituency.

Presiding Officer: FIDELIS MWAKANI NDETO

Signature: [Signature]

Date: 09-08-2022

Deputy Presiding Officer: FAITH MWENDE MUTUA

Signature: [Signature]

Date: 09-08-2022

Agents or Candidates (if present)

No.	Name of Candidate or Agent	ID/Passport No.	Party Name/Independent Candidate	Tel. Contact	Signature	Date
1.	JOHN BASCO NZALI	7663496	UDA	0722243953	<u>[Signature]</u>	09-08-2022
2.	JOEL NZUKI NGAUGA	13311162	AZIMIO ONE KENYA	0724904091	<u>[Signature]</u>	09-08-2022
3.	PAUL MUNYAO MWINO	1462137	AZIMIO ONE KENYA	071153281	<u>[Signature]</u>	09-08-2022
4.						
5.						
6.						
7.						
8.						
9.						
10.						
11.						

Reasons for Refusal to Sign (if any)

Presiding Officer's Comments:

TOTAL NUMBER OF VALID VOTES OBTAINED WAS 272
 P.O: FIDELIS M. NDETO SIGN: [Signature] DATE: 09-08-2022

I.E.B.C.
 PRESIDING
 OFFICER