



PRESIDENTIAL ELECTION RESULTS AT THE POLLING STATION

Name of Polling Station EBUYENJERE PRIMARY SCHOOL POLLING STATION 1 of 1

Code 037204102203901

Ward ETENJE

Code 1022

Constituency MUMIAS WEST

Code 204

County KAKAMEGA

Code 037

Number of votes cast in favour of each candidate:

Name of Candidate	No. of Valid Votes Obtained
1. ODINGA RAILA	195
2. RUTO WILLIAM SAMOEI	013
3. WAIHIGA DAVID MWAURE	000
4. WAJACKOYAH GEORGE LUCHIRI	001
5.	
6.	
7.	
8.	
9.	
10.	
11.	
Total number of valid votes cast	209

Polling Station Counts

1. Total Number of Registered Voters in the Polling Station;	295
2. Total Number of Rejected Ballot Papers;	001
3. Total Number of Rejection Objected To Ballot Papers;	000
4. Total Number of Disputed Votes;	000
5. Total Number of Valid Votes Cast;	209

Decision(s) on disputed votes if any

Serial Number of Ballot Paper(s) with disputed vote	Name of Candidate assigned the vote
1.	
2.	
3.	
4.	

Declaration

We, the undersigned, being present when the results of the count were announced, do hereby declare that the results shown above are true and accurate count of the ballots in EBUYENJERE PRIMARY SCHOOL Polling Station MUMIAS WEST Constituency.

Presiding Officer: PETER OLVOCHSignature: [Signature] Date 09-08-2022Deputy Presiding Officer: GEOFFREY WERESignature: [Signature] Date 09-08-22

Agents or Candidates (if present)

No.	Name of Candidate or Agent	ID/Passport No.	Party Name/Independent Candidate	Tel. Contact	Signature	Date
1.	Daniel Mzigo O.	3015511	KANU	0745941121	[Signature]	09/8/22
2.	BEATRICE OUMA	30812983	UDA	0716412824	[Signature]	09/8/22
3.	HENRY W. KWEYU	23163849	ODM	0721671574	[Signature]	09/8/22
4.	MOHAMED O. MALAH	20513092	ANC	0727972326	[Signature]	09/8/22
5.	SOPHIAH M. WERE	20806838	UDA	0700766391	[Signature]	09/8/22
6.	BENARD N. NYAMWUS	9889754	UDA	0778521697	[Signature]	09/8/22
7.						
8.						
9.						
10.						
11.						

Reasons for Refusal to Sign (if any)

Presiding Officer's Comments:

COUNTING AND VOTING WAS SUCCESSFUL

I.E.B.C.
PRESIDING
OFFICER